

AD-A197 680

Naval Ocean Research and **Development Activity** NSTL. Mississippi 39529-5004

NORDA Technical Note 384 May 1988

Field Report: Oceanographic Conditions in the Iceland-Faeroe Frontal Zone, April 1988

JANICE D. BOYD

Oceanography Division Ocean Science Directorate

**GEORGE HEBURN** 

Ocean Sensing and Prediction Division Ocean Science Directorate





# Field Report: Oceanographic Conditions in the Iceland-Faeroe Frontal Zone, April 1988

Janice D. Boyd
George Heburn
Naval Ocean Research and Development Activity
NSTL, Mississippi 39529-5004 USA

sion For	
GRA&I	M
TAB	Ð
ounced	
fication	
<del></del>	
•	
Avail and	/or
Special	
1 1	
1	
1	
	GRA&I TAB ounced fication  ibution/ lability (  Avail and   Special

#### ABSTRACT

Between 21 – 27 April 1988, the Tactical Oceanography Project of the Naval Ocean Research and Development Activity (NORDA), provided near real time processing and analysis of environmental data acquired during the first phase of the NATO exercise RESOLUTE SUPPORT/PROUD RUNNER. This report assembles together the analysis results produced in the field to give an overview of the oceanographic conditions during the exercise. An assessment of the acoustic conditions encountered will be the subject of a later report.

## INTRODUCTION

A Tactical Oceanography Center was established at the Royal Air Force Base at Machrihanish, Scotland, during the last two weeks of April 1988 to process and analyze in near real time the data obtained during the first phase of the NATO exercise RESOLUTE SUPPORT/PROUD RUNNER. Data collected by the various participating platforms were sent in naval message form to the communications center at Machrihanish, the air operations center for NATO and US Navy air elements of the exercise. The data were entered into the Tactical Oceanography Center's database and processed to yield oceanographic and acoustic analyses and predictions in direct support of the air and shipboard units of the exercise.

The members of the Center included the Tactical Oceanography Team from NORDA, headed by Dr. George Heburn; the Harvard University Open Ocean Modeling Team,

headed by Dr. Don Denbow; and the Remote Sensing Team under the leadership of Mr. C. Brownsword from the Royal Aircraft Establishment. The NORDA and Harvard contingents arrived on 19 April. The computer systems were set up and data processing begun on 20 April. To support the Harvard Open Ocean Model, a series of three gridded AXBT (air deployed expendable bathythermograph) flights were flown by operational P-3C aircraft fron NAS Keflavik, Iceland: one on 18 – 19 April, immediately before commencement of the exercise, one during the exercise on 23 April, and a final flight on 28 April. These data, along with the AXBT/XBT data from the RESOLUTE SUPPORT aircraft and ships, formed the database for the analyses and predictions performed during the period 21 – 27 April. The two research teams from NORDA and Harvard departed RAF Machrihanish on 28 April.

Five hundred XBT and AXBT observations were received and processed during the exercise and are the subject of this Field Report. Many of the Figures presented here were produced at the Tactical Oceanography Center, although some data from the latter part of the time period came in too late to be processed before the teams had to depart, and these Figures were produced later after the NORDA contingent had returned to Mississippi. After the initial grid of AXBT data was analysed and the first Harvard Open Ocean Model forecast was run, the location of the Iceland-Faeroe Front was digitized and sent to the NATO chief scientist so that he could modify the deployment of the ship components if necessary to maximize the data collection effort to achieve the exercise goals. Throughout the exercise, analyses were provided to the air components based in Machrihanish so that they could make last minute adjustments to their observational plans.

## OCEANOGRAPHIC CONDITIONS, 17 - 28 APRIL 1988

A listing of positions and times of all data entered into the Tactical Oceanography Center database is included in Table 1. The database included all data received by the communications center through noon of 27 April. Plots of the station locations by day from 16 through 28 April are given in Figs. 1-13. This data is available on an IBM PC/AT compatible diskette through the senior author of this report.

To put the later analyses in perspective, temperature contours at various depths over the exercise area from the US Navy standard climatological database GDEM (Generalized Digital Environmental Model) are presented in Figs. 14 – 19. Not surprisingly, since the database is on a one-half degree grid and is composed of data taken over a number of different years, the intensity of the Iceland-Faeroe Front appears rather weak, although the Front (defined as the line of maximum horizontal temperature gradient) can be identified and is seen to slope down with depth to the southwest. The weaker temperature gradients at the surface than at, say, 50 m, are due to the usual development over this time period (April – June) of a surface mixed layer.

Figs. 20 - 26 are isotherm contours characterizing the study area around the time of the first gridded AXBT flight on 18 - 19 April. The analyzed dataset includes all data in the database from the day before and through the day after the gridded flight took place;

that is, from 17 - 20 April. Fig. 20 shows the temperature field at 0 m with the data positions superimposed, while Figs. 21 - 26 show only the temperature fields at 0, 50, 100, 200, 250, and 300 m.

The Figures show a northward bulge of the Front along 11°W, similar to features reported in earlier years, including during May of 1987 (Smart, 1984; Boyd, et al, 1987). The Front then appears to push southward around 10°W. The southward protrusion is very distinct with depth, leaving the impression of a penetration of colder, fresher Arctic waters from the East Icelandic Current over the Iceland-Faeroe Ridge and into the warmer, saltier Atlantic water of the Irminger Current which flows westward south of Iceland. Such overflows are known to happen episodically and a similar loop was observed during the same time frame the previous year. It may be that the loop is the reflection of one of these overflow events, perhaps related to the production of cold, deep water in the Norwegian and Iceland Seas during the previous winter.

Some idea of the subsurface characteristics during this time period may be obtained by examining vertical temperature transects through the area. Fig. 27 illustrates the location of two such transects. The first transect, shown in Fig. 28, extends along  $9^0$  W from  $63^0$  N to  $65^0$  30'N, and utilized only AXBT data from the first gridded flight. The Front shows quite clearly between the ranges of 40-80 nmi, as well as the subsurface upwelling of cold water to the north of the front which may be associated with deep water overflow over the Iceland-Faeroe Ridge. Below about 50 m the front slopes downward to the south.

The second transect extends through the data rich region between 63°N, 12°W and 65° 30°N, 8°W (Figs. 27 and 29). An upwelling of relatively cold water is observed both south of the Front and north of the Front. In addition, the Front is much more narrowly defined in this transect because of the much greater data density, and in this location it appears to be nearly vertical – at least, down to 300 m.

As a final comment, note that the GDEM climatology does not represent the data very well at all; this will have implications for any acoustic predictions based upon climatology. The climatology does show, however, something of a northward protrusion of the Front along 11°W which may reflect the average of occasional similar events over a number of years.

Figs. 30-36 present the horizontal temperature contours at various depths produced from the data in the database for 22-24 April, centered around the second gridded AXBT flight. This is by far the most extensive dataset and the Figures show considerable small scale, unresolved structure in the temperature field south of the Front (west of  $9^0$  W and south of  $64^0$  N). Perhaps the colder waters from the north have protruded further southward since the 17-20 April dataset, but the data distribution is inadequate to resolve this question. Certainly no major changes occurred in the oceanographic environment over this one week time period.

Two vertical temperature transects were produced along much the same tracks as for the earlier dataset (see Fig. 37 for transect locations). The first transect, along 9°W (Fig. 38), shows much more structure than Fig. 28 because of the much greater data density. The Front appears in two sections: one around the 75 nmi range which penetrates to the

surface, and one around the 35 nmi range which is well defined only up to about 100 m. Above that depth the isotherms merge with the more northerly portion of the Front. Relatively cold water is observed to the north of the Front and between the two separate sections of the Front. We can't say from the data whether this division of the Front into a surface and a subsurface portion existed in the 18 April time frame or not; the earlier data density was probably not great enough.

The second transect (Figs. 37 and 39) shows a very convoluted Front with perhaps a small warm eddy-like feature near the surface around the 70 nmi range. The overall slope of the Front is downward to the south and west, with an upwelling of relatively cold water to the north of the Front and cold water below its surface manifestation.

Temperature fields produced from the data over the 26 – 28 April time frame are given in Figs. 40 – 46. These pictures of the environment are probably not correct and no conclusions should be based upon them. The Figures are included for completeness sake only. Much of the environmental analysis must be based on the 28 April AXBT grid flight, and there were serious problems with the data. At some point during the processing, the association between times, positions, and profiles was confused and the data as received was obviously wrong. Dr. Don Denbow of Harvard attempted to correct the problems, but the data remain very suspicious. It is highly unlikely that the northward part of the frontal loop progressed several degrees to the east over a few days, and the temperature fields produced only from the gridded dataset itself show no sign of a loop at all. The observations numbered 1200 through 1224 are still retained in the Tactical Oceanography Center database in case someone wishes to attempt to correct the position – profile association, but they should not be used as is. All other data is, to the best of our knowledge, acceptable, however.

#### **ACKNOWLEDGMENTS**

The hospitality of the Royal Air Force Base at Machrihanish, Scotland, and especially the assistance of Squadron Leader D. I. McCrae is gratefully acknowledged. Jim Gallagher of the Naval Underwater Systems Center, New London, deserves the credit for organizing the Tactical Oceanography Center. Shirley Baker and Robert Broome of Planning Systems, Inc, did much of the programming and data processing. The Tactical Oceanography Project (Program Element 62435N) is sponsored principally by the Office of Naval Technology. Additional funding for this field effort came from the Office of Naval Research (Program Element 65857N).

#### REFERENCES

Smart, J.H. 1984. Spatial variability of major frontal systems in the North Atlantic Norwegian Sea area: 1980 - 81. Journal of Physical Oceanography, 14, 185 - 192.

Boyd, J.D., P.W. May, and J.W. McCaffrey. 1987. Preliminary Report: Environmental conditions in the Norwegian – Iceland Seas, May 1987. NORDA Technical Note 341, Naval Ocean Research and Development Activity, NSTL, MS 39529-5004, 128 pp.

TABLE 1: Dates, positions, and times of all data in the RESOLUTE SUPPORT/PROUD RUNNER Tactical Oceanography Center database.

DAT	E: 4	1/11/	88	FROJECT	ID:	RESOLUTE	SUPPORT			
#	TYPE	D/S	LA	TITUDE	LC	ONGITUDE	TIME	FLT	RT	СН
1	XBT	S	64	52.00	4	-16.00	18:00:00	O	O	Ō
DAT	E: 4	/15/	88	PROJECT	ID:	RESOLUTE	SUPPORT			
#	TYPE	D/S	LA	TITUDE	LC	ONGITUDE	TIME	FLT	RT	CH
2	XBT	S	60	53.00	o	-42.00	18:05:00	O	O	Ō
DAT	ti: 4	1/16/	88	PROJECT	ID:	RESOLUTE	SUPPORT			
#	TYPE	D/S	LA	TITUDE	LC	ONGITUDE	TIME	FLT	RT	СН
Z	XBT	S	61	58.00	3	10.00	10:15:00	Q	o	O
4	XBT	S	64	51.00	-10	-17.00	10:16:00	O	Ō	O
5	XBT	S	61	44.00	3	16.00	10:19:00	Q	Q	O
٤	XET	S	61	30.00	3	21.00	10:23:00	O	Ō	Q
7	XB1	S		2.00	3	32.00	10:32:00	O	Q	O
8	XBI	S	60	48.00	3	36.00	10:36:00	O	O	Q
9	XBJ	S	64	44.00	-10		10:45:00	Q	O	О
10	XBI	S	64	38.00	-10	-26.00	11:16:00	O	O	O
11	XBI	S	64	33.00	-10	-31.00	11:45:00	O	Q	Ŏ
12	XBT	S	64	28.00	-10		12:13:00	Ō	O	Ŏ
13	XBI	S	61	3.00	-3		12:15:00	O	Q	O
14	XBT	S	63	.00	0		13:41:00	Ó	O	0
15	XBT	S	64	10.00	-10		13:45:00	O a	0	0
16	XBT	S	62	57.00	0	-3.00	14:00:00	Ó	0	0
17 18	XBT	s s	64 62	4.00 56.00	-10 O		14:15:00	0	0	O O
19	XBI	S		59.00	-11		14:45:00	0	O O	0
20	XBT	s		53.00	-11	-5.00	15:17:00	0	Ó	Ŏ
21	XBT	S	62	51.00	ō		15:38:00	o O	Ö	Ö
22	XBT	S	<b>6</b> 3	48.00	-11		15:45:00	Õ	Ö	Ö
23			<b>6</b> 3	42.00			16:14:00		-	ō
24	XBT	S	62	56.00	O	1.00	16:30:00	ó	Ō	Ó
25	IXET	S	63	36.00	-11	-21.00	16:46:00	o	Ō	O
26	XBT	S	62	46.00	0	-28.00	16:51:00	Ö	Ō	Ò
27	XBT	S	62	56.00	Ò	2.00	17:00:00	O	Q	Q
28	XBT	S	63	31.00	-11	-26.00	17:17:00	O	Ō	O
29	XET	S	50	30.00	-10	-6.00	17:45:00	O	O	O
30	XBT	S	63	25.00	-11	-30.00	17:46:00	O	Ó	Ō
31	XEI	S	62	55.00	O	30.00	18:00:00	Ŏ	Q	Q

32 33 34	XBT XBT XBT	s s s	62 62 62	38.00 33.00 27.00	0 -1 -1	-48.00 -26.00 -14.00	18:38:00 19:38:00 20:47:00	0 0 0	0	0 0 0
DAT	E: 4	1/17/	<b>′8</b> 8	PROJECT	ID:	RESOLUTE	SUPPORT			
#	TYFE	D/S	L	AT I TUDE	L	ONGITUDE	TIME	FLT	RT	СН
35	XBT	S	<b>6</b> 3	29.00	-1	-17.00	06:10:00	o	Ŏ	o
36	XBT	S	64	12.00	-11	-38.00	09:23:00	Ö	Ö	ō
37	XBT	S	64	14.00	-11	-37.00	10:01:00	Ö	ō	Ô
38	XBT	S	64	18.00	-11	-36.00	10:57:00	Ö	Ö	Ó
39	XBT	S	64	21.00	-11	-35.00	11:57:00	Ö	Ō	Ö
40	XBT	S	64	25.00	-11	-35.00	13:04:00	Ö	Ó	Ö
41	XBT	S	64	27.00	-11	-32.00	14:26:00	Ó	Ö	Ó
42	XBT	S	64	29.00	-11	~32.00	15:09:00	Ö	Ó	ó
43	XET	S	64	31.00	-11	-33.00	16:11:00	Ō	Ó	ō
44	XBT	S	64	33.00	-11	-33.00	16:57:00	Ö	Ó	Ó
45	XBT	S	64	37.00	-11	-34.00	18:10:00	ő	ő	Õ
46	XBI	S	64	36.00	-11	-37.00	18:30:00	ŏ	Ó	ŏ
47	XBT	S	64	32.00	-11	-47.00	18:59:00	ō	Ó	ō
48	XBT	S	64	29.00	- i i	-50.00	19:29:00	ŏ	ő	ŏ
49	XBT	S	64	27.00	-11	-24.00	19:58:00	Ö	ő	Ö
50	XBI	S	64	25.00	-12	-2.00	20:29:00	Ó	Ó	Ö
51	XBT	s	65	8.00	-4	-54.00	20:41:00	Ó	o.	ő
		_	2.0	0.00	,	07100	20171100	· ·	٠.,	Ů.
DATI	E: 4	/18/	'88	PROJECT	TD:	RESOLUTE	SUPPORT			
					- 27 •	**COOLOTE	5011 6101			
#	TYPE	D/S	L	ATITUDE	L	ONGITUDE	TIME	FLT	RT	СН
52	XBT	S	62	18.00	-1	-53.00	15:10:00	O	Ō	O
53	XEIL	S	62	25.00	-1	-35.00	18:27:00	Ō	0	O
54	XBT	S	65	5.00	-4	-51.00	19:00:00	O	O	O
55	XBI	S	65	5.00	-4	-52,00	20:00:00	Q	Ó	O
56	XBT	S	63	.00	-12	.00	20:49:00	Ō	Ō	Ō
<b>5</b> 7	XET	S	65	5.00	-4	-51.00	21:00:00	O	O	Ō
58	XBT	S	63	.00	-11	.00	21:06:00	Ō	Ó	Ō
59	XBT	S	63	.00	-10	.00	21:22:00	O	Ō	Q
60	XBT	S	<b>6</b> 3	.00	-8	.00	21:27:00	O	Ō	Ò
61	XBT	S	63	.00	-7	.00	21:34:00	Ō	O	O
<b>6</b> 2	XBT	5	<b>6</b> 3	30.00	-7	.00	21:45:00	Q	O	O
63	XBT	S	63	30.00	-9	.00	22:08:00	Ō	Ō	O
64	XBT	S	63	30.00	-11	.00	22:23:00	Ō	Q	O
<b>6</b> 5	XBT	S	<b>6</b> 3	30.00	-12	.00	22:29:00	Ö	Ö	Ö
66	XBT	S	64	.00	-12	.00	22:39:00	ŏ	Õ	ō
								-		

Ca. 4 a. 4 a. 4

ď

67	XBI	S	64	.00	-11	.00	22:50:00	Q	O	O
68	XBT	S	64	.00	-10	.00	22:58:00	O	O	O
<b>69</b>	XBT	S	64	.00	-9	.00	23:12:00	Q	Ö	O
20	XBT	S	64	.00	~8	.00	23:18:00	Ō	Õ	O
71	XBT	S	64	.00	-7	.00	23:24:00	Ö	Õ	O
72	XBT	S	64	30.00	-7	.00	23:33:00	Q	O	Ó
73	TEIX	S	64	30.00	-8	.00	23:39:00	O	O	O
74	XBT	s	64	30.00	-9	.00	23:46:00	Ō	Q	O
75	XBT	S	64	30.00	-10	.00	23:52:00	Q	O	Ŏ
76	XBT	S	64	30.00	-11	.00	23:57:00	Q.	Ō	Q

DATE	<b>:</b> :	4/19	/88	PROJECT	ID:	RESOLUTE	SUPPORT			
#	TYPE	D/S	L	ATITUDE	LO	INGITUDE	TIME	FŁ.T	RT	СН
7.7	XBT	S	64	30.00	-12	.00	00:02:00	O	o	O
78	XBT		65	.00	-12	.00	00:10:00	O	Ö	O
/9	XBT		65	.00	-1.1	.00	00:17:00	O	O	O
gó	XBI		62	32.00	-1	-17.00	00:34:00	O	O	O
81	XBI		65	.00	-10	.00	00:34:00	O	O	O
82	XBI		65	.00	-9	.00	00:43:00	O	Ō	Q
83	XBT		65	.00	-8	.00	00:48:00	O	O	0
84	XBI		65	.00	-7	.00	00:56:00	O	Ō	O
85	XB		45	30.00	-7	.00	01:02:00	O	O	O
86	XB		<b>45</b>	30.00	-8	.00	01:08:00	O	O	O
87	XE		65	30.00	-9	.00	01:13:00	Q	O	O
88	XB		65	30.00	-10	.00	01:19:00	O	Ö	O
89	XB.		65	30.00	-11	.00	01:24:00	()	0	O
<b>9</b> 0	XB		62	44.00	O	-44.00	07:33:00	Q	()	Ö
91	XB		65	5.00	-4	-53.00	08:00:00	O	O	Ö
92	XE		65	5.00	-4	-53.00	09:00:00	O	O	O
93	XB		65	6.00	-4	-54.00	11:00:00	Q	Q	O
94	XВ		65	5.00	-4	-54.00	12:00:00	O	Ó	Ō
95	ΧÐ		65	5.00	-4	-54.00	13:00:00	O	O	O
96	XB		63	48.00	-10	-22.00	13:59:00	Q	Ō	0
97	XΒ	r s	65	5.00	-4	-54.00	14:00:00	Q	O	O
98	XB		63	51.00	-10	-18.00	14:59:00	Ō	O	Ō
99	XB		45	5.00	-4	-54.00	15:00:00	O	0	O
100	XB	I S	63	54.00	-10	-14.00	16:04:00	Q	O	O
101	XB		63	57.00	-10		16:58:00	O	Q.	O
102	XB	l S	64	2.00	-10		18:30:00	Ō	O	Ö
103	ΧĐ	i s	64	4.00	-9		18:59:00	Q	Q	Q.
104	XE	T S	64	8.00	-9		19:54:00	O	O	O
105	:XE	T S	64	12.00	-9	-51.00	20:53:00	Q	Q	O
105	XB	T S	<b>6</b> 5	5.00	-5		21:25:00	0	Q	Õ
107	XE		63	12.00	0	-23.00	21:32:00	O	Q	()

108	XBT	S	64	18.00	-9	-46.00	22:00:00	Õ	0	O
109	XBT	s	64	58.00	-5	-35.00	22:30:00	O	O	O
110	XET	S	64	23.00	-9	-43.00	23:00:00	Ō	Ó	Ö
111	XBI	S	63	19.00	O	-38.00	23:54:00	Ö	O	O
112	XBT	Š	64	27.00	-9	-39.00	23:57:00	O	Ö	O
111-	71 2.									
DATE	E: 4	1/20/	88	PROJECT	ID:	RESOLUTE	SUPPORT			
	_									
#	TYPE	D/S	L.A	ATITUDE	۲O	NGITUDE	TIME	FLT	RT	CH
								_		
113	XBT	S	64	31.00	-9	-35.00	00:57:00	Q.	Q ô	O .
114	XET	S	64	36.00	-9	-32.00	02:05:00	O O	O A	O O
115	XBT	S	63	26.00	O	-54.00	02:30:00	Q	Q	Ö
116	XBT	S	64	40.00	-9	-28.00	02:58:00	Ō	Ō	O .
117	XBT	S	64	25.00	-6	-9.00	03:08:00	Q	O	0
118	XBT	S	64	44.00	-9	-23,00	04:00:00	0	Ō	Ö
119	XBI	S	64	48.00	-9	-18.00	04:59:00	O	0	0
120	XBT	S	64	52.00	-9	-13.00	05:59:00	0	0	O
121	XBI	5	64	57.00	-9	-7.00	06:59:00	O	O	Ō
122	XBT	S	65	3.00	-9	-1,00	08:03:00	Ō	Ō	. 0
123	XBT	S	65	10.10	-6	-2.10	09:43:00	O	Ó	16
124	XBT	S	65	16.90	-6	-21.90	09:50:00	O	0	14
125	XBT	5	64	48.70	4	~49.,90	10:01:00	Ō	O	16
126	XBT	S	64	41.80	-4	-26.80	10:04:00	Ō	O	14
127	XBT	S	54	35.00	-4	-4.00	10:07:00	Ö	0	16
128	XHT	S	65	16.80	-6	-22.00	10:29:00	Ŏ	Ō	14
129	XBT	S	64	12.00	-7	-34,00	12:22:00	O	Q	Ò
130	XBT	S	64	5.00	-7	-53.00	13:24:00	O	Q.	Ō
131	XBT	S	63	51.00	-8	-31.00	17:00:00	Q	O	Q.
132	XBT	S	64	3.00	-2	-16.00	17:44:00	Ō	Ō	0
133	TELX	S	65	13.00	-8	~47.00	20:00:00	Ò	Ō	0
134	XB1	S	63	38.00	-9	-4.00	20:25:00	Ò	Ö	Ö
135	XBT	S	65	10.00	-8	-52.00	20:59:00	O	Ō	Ó
136	XBT	S	62	30.00	-9	-18.00	21:45:00	Ō	Q	Q
137	XBT	S	65	6.00	-8	-57,00	21:59:00	O	Q	()
138	XBT	S	61	42.00	-13	-42.00	22:10:00	Ó	O	()
139	XBT	S	65	3.00	-9	.00	23:03:00	Ó	Ō	Ō
DAT	E:	4/21/	/88	PROJECT	ID:	RESOLUTE	SUPPORT			
		_		an and any angular between		ONOTTUNE	TIME	FLT	рт	CH
#	TYPE	D/5	L	ATITUDE	L	ONGITUDE	LITTE	rLI	111	() I
4.47	Viot	- E	<b>4</b> A	59.00	-9	-5.00	00:00:00	O	O	Ō
140	XBT		64 61	52.00	~13		00:30:00	Ō	Ō	
141	XBI		61 64	56.00	-9		00:59:00	Ö	Ö	
142	XET	<b>.</b>	04	20.00	,	,,,,,,,	2 2 2 W 7 2 2 4 4	-		

5 . P. S. B. L. P. L. P.

143	XECT	S	64	52.00	-9	-15.00	02:00:00	O	Ó	O
144	XET	S	64	49.00	-9	-19.00	02:59:00	O	O	Ō
145	XBT	S	61	57.00	-13	-15.00	03:10:00	Q	O	O
146	XBT	S	61	57.00	-13	-15.00	03:15:00	Ò	()	Õ
147	XEI	S	64	45.00	-9	-23.00	04:03:00	Ó	()	Ö
148	XECT	5	64	41.00	-9	-26.00	05:00:00	Q	Ò	Ô
149	XEI	S	64	31.00	-9	-35.00	07:02:00	Ò	Ó	Ó
150	XBT	S	64	27.00	-9	-40.00	07:58:00	O	()	()
151	XB(	S	64	24.00	-9	-45.00	08:59:00	O	Q	$\langle i \rangle$
152	XBT	5	64	20.00	-9	-50.00	10:01:00	O	Q	()
153	XBT	S	64	16.00	-9	-54.00	11:03:00	Ō	Ó	Ō
154	XBT	S	62	14.00	-12	-38.00	11:30:00	Ò	()	Ó
155	XBT	S	64	13.00	-9	-57.00	11:58:00	Q	Q	O
156	XBT	S	64	9.00	-10	-2.00	12:59:00	Q	O	()
157	XBT	S	62	21.00	-12	-23.00	13:10:00	Q	()	Ō
158	XBT	S	64	5.00	-1O	-6.00	13:59:00	Ó	()	O
159	XEI	S	64	48.00	-3	-59.00	14:58:00	Ó	Ó	Ó
160	XBI	S	62	27.00	-12	-5.00	15:09:00	O	O	O
161	XEG	S	62	33.00	-11	-56.00	17:30:00	Ó	O	O
162	XEL	S	61	27.00	-11	-1.00	18:00:00	Ö	O	Ó
163	XBT	S	62	37.00	-11	-33.00	19:09:00	Q	O	Õ
164	XBT	S	61	36.00	-10	-46.00	20:00:00	()	O	O
165	XET	S	62	36.00	-11	-36,00	20:30:00	O	O	O
166	XET	S	62	41.00	-11	-25.00	21:37:00	Ċ	Ö	Õ
16/	XEL	S	61	45,00	-10	-30.00	22:00:00	O	0	O

E

**1** 

É

Ę

K

DATE	. :	4/22/8	38	PROJECT	ID:	RESOLUTE	SUPPORT			
#	TYPE	D/S	L	ATITUDE	L	ONGITUDE	TIME	FLT	RT	СН
168	XBI	S	63	2.00	-10	-58.00	00:00:00	O	Ó	Ó
169	XBT	S	65	21.00	-5	-25.00	04:25:00	O	Q	Ō
170	XBT	S	62	56.10	-10	-55.10	09:56:00	O	()	16
1/1	XBT	S	63	12.70	~10	-19.20	10:02:00	()	Õ	14
172	XHT	S	63	21.00	<b>-1</b> 0	.00	10:05:00	Ō	C)	16
1/3	ХÐТ	S	63	29.40	-9	-40.80	10:08:00	Ŏ	Ó	14
174	XET	S	63	37.90	-9	-21.80	10:11:00	O	O	16
175	XBT	S	63	3.20	~10	-38.00	10:36:00	Q	O	14
176	XEO	S	62	37.00	-9	-19.00	11:00:00	Ō	Q	()
177	XHI	5	65	49.00	-6	-38.00	14:32:00	O	Ó	$\circ$
1/8	XBI	S	62	39.00	-9	-19.00	15:40:00	Ō	Ó	()
179	XBT	S	65	55.00	-6	-57.00	17:11:00	O	O	O
180	XEIT	S	66	2.00	-7	-16.00	19:22:00	Ō	Ó	$\circ$
181	XBT	S	62	30.00	-9	-18.00	20:08:00	O	O	O
182	XBT	S	62	27.00	-9	-18.00	21:10:00	O	Ó	Ø
183	XBT	S	62	33.00	-9	-17.00	22:09:00	O	Ö	Õ

184	XBT	S	62	39.00	-9	-14.00	23:00:00 23:55:00	0	0	0 0
185	XBT	S	62	45.00	-9	-13.00				
186	XBJ	5	63	24.00	-12	-19.00	23:58:00	O	Ó	O
*		4.407	.00	E-E-O-IE-O-I	* * .	PECOLUTE	CHOOCET			
DAT	E: '	4/23/	88	PROJECT	ID:	RESOLUTE	SUFFURI			
11	TYPE	0.75		ATITUDE	, .	NGITUDE	TIME	FLT	E-T	СН
#	HTE	1775	L1	HITIODE	LU	MOTIONE	1 1111	T 1	** 1	UII
187	XBT	S	66	14.00	-7	-53.00	00:29:00	0	O	O
188	XBT	S	62	51.00	- <del>9</del>	-16.00	00:37:00	Ó	Õ	Ó
189	XBI	5	<u>5</u> 3	26.00	-12	-24.00	00:59:00	Ō	O	Ō
190	XBT	S	62	57.00	-9	-16.00	01:29:00	O	O	Ó
191	XEC	Ś	63	30.00	-12	-30.00	02:09:00	0	O	Ō
192	XBT	S	63	4.00	-9	-15.00	02:30:00	Ō	Õ	Ç
193	XBT	S	55	21.00	-8	-11.00	02:52:00	O	Q	Ô
194	XBT	S	63	32.00	-12	-34.00	02:59:00	O	Ó	Ō
195	XBT	S	62	28.00	-9	-16.00	03:40:00	Ö	O	O
196	XBT	S	63	36.00	-12	-38.00	03:59:00	O	O	O
197	XBT	S	63	12.00	-8	-24.00	04:00:00	()	O	Q
198	XBT	S	63	17.00	-9	-11.00	04:27:00	Ŏ	O	Ò
199	XBT	S	63	38.00	-12	-45.00	05:01:00	O	O	Q
200	XBT	S	66	27.00	-8	-42.00	05:03:00	O	Q	Ō
201	XBI	S	<b>6</b> 3	22.00	-9	-10.00	05:20:00	O	0	Ō
202	XBT	S	62	30.00	-9	-18.00	05:45:00	O	O	Ó
203	XBT	S	63	39.00	-12	-53.00	05:59:00	Ō	()	O
204	XBT	S	63	18.00	-8	-6.00	06:00:00	Ō	O	Q
205	XET	S	దౌ	18.00	-12	-42.00	06:00:00	O	O	Ò
206	XBT	S	63	36.00	-12	-54.00	06:00:00	Ō	Ó	Ó
207	XBI	S	63	28.00	-9	-10.00	06:10:00	Q	Ó	Ŏ
208	XBI	5	63	40.00	-13	-2.00	06:59:00	Ō	O	Ō
209	XET	S	63	34.00	-9	-9.00	07:11:00	Q	Q	O
210	XBT	S	63	42.00	-13	-9.00	08:01:00	Ó	O	Ó
211	XBT	S	<b>6</b> 2	30.00	-9	-16.00	08:11:00	Q	O	Ö
212	XBT		63	40.00	-9	-B.00	08:19:00	Ó	Ò	
213	XBI	S	63	44.00	-13	-17,00	09:00:00	Q	0	
214	XBT	S	63	46.00	-9	-8.00	09:14:00	Ò	Õ	
215	XET	S	63	53.00	9	-6.00	10:11:00	Ó	O	
216	XBT		63	57.00	~9	-5.00	10:47:00	Ò	O	()
217	XBL		63	32.00	-10	-27.00	11:05:00	0	0	
218	XBT		62	30.00	-9	-16.00	11:10:00	0	Ó	
219	XBT		64	3.00	9	-5.00	11:41:00	Ó	0	
220	XBT		64	13.00	-10	-1.00	11:58:00	0	Ō	
221	XBT		64	8.00	-9	-5.00	12:23:00	Ŏ O	Ō	
222	XBT		63	36.00	-12	-58.00	13:00:00	0	Ó	
223	XET	S	62	28.00	~9	-16.00	13:05:00	O	Ö	O

-9 -39.00 13:06:00

O

0 Ō

224

XBT

S

66

47.00

225	XEH	S	64	15.00	-9	-53.00	13:09:00	O	O	O
226	XBT	Š	64	15.00	-9	-3.00	13:25:00	Ō	Ō	Ċ)
227	XBI	S	63	36.00	-12	-51.00	13:59:00	Q	Q	O.
228	XBT	5	64	17.00	-9	-45.00	13:59:00	Q	()	Ō
229	XET	S	64	21.00	-9	-2.00	14:17:00	Ō	O	O.
230	XBL	S	64	25.00	-8	-59.00	14:54:00	Ō	O	()
231	XBI	S	63	37.00	-12	-41.00	14:59:00	O	O	O
232	XEIT	S	64	19.00	-9	-36.00	14:59:00	Ō	O	Ö
233	XBT	S	63	39.00	-12	-32.00	15:57:00	O	O	Ò
234	XBT	S	64	22.00	-9	-27.00	15:59:00	Ō	O	Ō
235	XBI	S	65	30.00	-11	.00	16:16:00	2	0	Q.
236	XBT	S	62	30.00	-9	-18.00	16:20:00	Ō	Ó	O
237	XBI	S	65	30.00	-10	.00	16:22:00	2	Õ	Q.
238	XET	S	64	20.00	9	-7.00	16:25:00	Ó	Ō	Õ
239	XBT	S	<b>6</b> 5	30.00	-9	.00	16:28:00	2	O	Ö
240	XEIT	5	65	30.00	-8	. QO	16:34:00	2	()	Ó
241	XBT	S	65	30.00	-7	.00	16:40:00	2	O	O
242	XBT	S	65	.00	-7	• OO	16:49:00	2	Ö	Ó
243	XBT	S	65	.00	-8	.00	16:58:00	2	O	O
241	XET	S	63	30.00	-10	-22.00	17:00:00	Ó	O	Ö
245	x Ed 1	S	64	24.00	-9	-16.00	17:08:00	O	Õ	Ó
245	хвГ	S	65	.00	-10	.00	17:10:00	2	Ö	Ö
247	XET	S	64	15.00	-9	-13.00	17:20:00	O	()	O
248	XBT	S	66	59.00	-10	-18.00	17:21:00	O	Ō	Ö
249	XBI	S	65	.00	-1.1	.00	17:21:00	2	O	Ō
250	XBL	S	65	.00	-12	.00	17:29:00	2	O.	Ō
251	XBT	S	64	30.00	-12	.00	17:36:00	2	O.	Q
252	XBT	S	<b>6</b> 5	.00	-9	.00	17:40:00	2	Ó	Ō
253	XBT	S	64	30.00	-11	.00	17:43:00	2	Ō	Ō
254	XBT	5	64	30.00	<b>-1</b> 0	.00	17:49:00	2	O	Q
255	XBI	S	63	45.00	-12	~19.00	18:00:00	Q	O	Ō
256	XBT	S	64	10.00	-9	~21.00	18:25:00	Q ~	O.	Ŏ
257	XEI	S	64	30.00	-9	.00	18:37:00	2	()	Ō.
258	XBL	S	64	30.00	-8	.00	18:41:00	2	Ó	O.
259	XECT	S	62	30.00	-9	~18.00	18:45:00	O	O.	Ö
250	XBL	_	64	30.00	ーフ	.00	18:48:00	2	O.	Ö
261	XBI	5	64	.00	~7	.00	18:55:00	2	Ö	Ó
262	XBL	S	63	30.00	-10	-21.00	19:00:00	Ō 5	Ō	0
263	XBT	S	64	.00	-8		19:00:00	2	O	O e
264	XBJ	S	63	47.00	-12	~11.00	19:03:00	Q	Q O	Ö
255	XBI	S	64	.00	-9	.00	19:05:00	2	Ō	Ö
266	XBT	S	64	.00	-10	.00	19:11:00	2	0	Ó
267	XBI	S	67	5.00	-10	~28.00	19:15:00	0	0	0
268	XBT	S	64	.00	-11	.00	19:18:00	2	0	O O
269	XET	S	64	.00	-12	.00	19:24:00	2	0	0
270	XB1	S	64	5.00	-9	-29.00	19:36:00	O O	0	Q O
271	XBI	S	63	30.00	-11	.00	19:37:00	2	O	Ö

272	XBT	S	63	30.00	-12	.00	19:44:00	2	O	Ō
273	XBT	S	63	.00	-12	.00	19:53:00	2	O	O
274	XBT	S	63	49.00	-12	-6.00	19:58:00	O	O	()
275	XBT	S	63	.00	-11	.00	19:58:00	2	Ō	()
276	XBT	S	63	.00	-10	.00	20:06:00	2	O	()
277	XBT	S	63	.00	-9	.00	20:21:00	2	O	0
278	XBT	S	63	.00	-8	.00	20:28:00	2	Ò	O
279	XBT	S	63	.00	-7	.00	20:35:00	2	Q	()
280	XBT	S	63	30.00	-7	.00	20:42:00	2	Ó	O
281	XBT	S	63	58.00	-9	-40.00	20:46:00	Ō	O	Õ
282	XBT	S	63	30.00	-8	.00	20:48:00	2	Ó	Ō
283	XBI	S	63	30.00	-9	.00	20:55:00	2	Ō	O
284	XBT	S	63	50.00	-12	.00	20:58:00	()	Ó	Ò
285	XBT	S	63	30.00	-10	.00	20:59:00	2	O	Õ
286	XBT	S	63	29.00	-10	-21.00	21:00:00	Ó	()	O
287	XBT	S	62	30.00	-9	-18.00	21:00:00	O	O	0
288	XBT	S	67	11.00	-10	-48.00	21:33:00	Ó	Ō	O
289	XHT	S	63	53.00	~9	-48.00	21:40:00	O	O	O
290	XBT	S	63	47.00	-9	-56.00	22:46:00	O	Ó	Ō
291	XBT	S	53	53.00	-11	-49.00	22:58:00	O	0	O
292	XBT	S	67	17.00	-11	-24.00	23:48:00	Ō	O	Ò
293	XET	S	64	18.00	~8	-53.00	23:56:00	O	O	O

DATE	Ξ:	4/24/	88	PROJECT	ID:	RESOLUTE	SUPPORT			
#	TYPE	D/S	L	ATITUDE	L	ONGITUDE	TIME	FLT	RT	СН
294	XBT	S	63	54.00	-11	-41.00	00:01:00	Q	Ō	Ō
295	XBI	S	63	41.00	-10	-5.00	00:04:00	O	O	Q.
296	XB1	S	63	31.00	-10	-24.00	01:00:00	Ó	O	Ó
297	XBI	S	63	55.00	-11	-33.00	01:04:00	Q	O	()
298	XET	S	63	36.00	-10	-13.00	01:05:00	Ü	Ó	Ô
299	XHI	S	62	28.00	~9	-16.00	01:15:00	O	Õ	Ō
300	XBT	S	67	22.00	-11	-44.00	02:00:00	Ŏ	Ó	Ō
301	XHI	Ş	63	56.00	-11	-24.00	02:25:00	()	O	O
302	XBT	S	63	31.00	-10	-27.00	02:30:00	Ŏ	O	Ō
303	XBI	S	63	31.00	-10	-24.00	00:00:00	Q	Ō	Q
304	XBT	S	63	57.00	-11	-20.00	03:02:00	Ó	Ö	Ō
305	XBT	S	62	28.00	-9	-16.00	03:10:00	O	Ŏ	O
306	XBT	S	63	31.00	-10	-39.00	03:23:00	Ŏ	()	Ó
307	XB1	S	63	59.00	-11	-12.00	03:59:00	Ō	O	O
308	XET	S	67	27.00	-12	~6.00	04:22:00	O	Ó	Ō
309	XBT	S	63	32.00	-10	-54.00	04:35:00	O	O	O
310	XBT	S	64	1.00	-11	-3.00	04:48:00	Q	O	Ó
311	XBI	S	63	32.00	-10	-23.00	05:00:00	O	O	O
312	XET		62	30.00	-9	-12.00	05:14:00	Ō	O	Ó

313	XBI	S	63	33.00	-11	-9.00	05:45:00	O	O	O
314	XBT	S	64	3.00	- 10	-54.00	05:59:00	Ō	Q	O
315	XET	S	67	35.00	-12	-10.00	06:23:00	O	O	O
316	XBT	S	63	33.00	-11	-24.00	06:35:00	Q	Ó	Ō
317	XET	S	64	5.00	-10	-37.00	06:59:00	O	O	()
318	XBT	S	63	32.00	-10	-22.00	07:00:00	Ó	Q	Ō
319	XBT	S	62	30.00	~9	-12.00	07:20:00	O	O	Ō
320	XBT	S	63	34.00	-11	-40.00	07:38:00	()	Ö	()
321	XBT	S	64	6.00	-10	-37.00	08:00:00	Ō	O	Ó
322	XBT	S	67	40.00	-12	-51.00	08:28:00	Ō	Ō	Ó
323	XBI	S	63	34.00	-11	-56.00	08:47:00	Ō	O	Q
324	XBT	S	62	30.00	-9	-12.00	09:00:00	O	O	Ó
325	4XB1	S	54	8.00	-10	-30.00	09:01:00	Ō	O	Q.
326	XBT	S	63	34.00	-12	-11.00	09:50:00	()	O	Ö
327	XB(	S	64	10.00	-10	-20.00	09:58:00	Ō	O	O
328	XBT	5	62	46.00	-9	-34.00	10:00:00	Ō	0	Õ
329	XET	S	67	48.00	-13	-15.00	10:47:00	O	O	Ō
330	XBI	S	63	36.00	-12	-25.00	10:50:00	Ō	Ō	O
331	XB1	S	52	30.00	-9	-12.00	11:00:00	O	O	O
332	XET	S	64	12.00	-10	-9.00	11:04:00	Ō	Ō	Ō
333	XBT	S	63	38.00	-12	-41.00	12:02:00	O	O	O
334	XBT	S	67	52.00	-13	-15.00	12:31:00	O	Ó	Ò
335	XBT	S	62	28.00	-9	-16.00	13:15:00	Q	Ö	O
336	XBT	S	63	38.00	-12	-57.00	13:30:00	Q	O	Ō
337	XBT	S	67	58.00	-13	-38.00	14:39:00	Ŏ	O	O
338	XBT	S	63	32.00	-12	-44.00	14:45:00	O	Ō	Ō
339	XB(	S	63	34.00	-10	-28.00	15:00:00	Q	O	O
340	XBI	S	62	28.00	-9	-14.00	15:15:00	Q	Ō	O
341	XET	S	63	29.00	-12	-31.00	15:40:00	Q	O	O
342	XBT	S	63	26.00	-12	-22.00	16:30:00	Ō	()	O
343	XBI	S	68	3.00	-14	-14.00	16:36:00	Q	()	O
344	XBT	S	63	27.00	-10	-20.00	17:00:00	Ó	O	O
345	XBJ	S	63	23.00	-12	-1.00	17:17:00	O	0	O
34€	XEIT	S	64	25.00	-9	-9.00	18:00:00	Ó	Ŏ	Ō
347	XBT	S	63	21.00	-12	-1.00	18:00:00	0	Ō	O
348	XBI	S	<b>6</b> 2	30.00	-9	-18.00	18:13:00	Q	Ó	O
349	XBT	S	68	8.00	-14	-21.00	18:38:00	O	O	O
350	XBT	S	64	26.00	-8	-59.00	18:59:00	Ó	Q)	O
351	XBI	S	63	17.00	-11	-51.00	19:00:00	O	0	Ō
352	XBI	S	62	30.00	-9	-18.00	19:25:00	O	Ó	Ŏ
333	XET	S	63	13.00	-11	-41.00	20:00:00	O	O	O
354	XBT	S	64	26.00	-8	-59.00	21:03:00	Ō	Ò	Ò
355	ΧÐΙ	S	68	15.00	-15	-2.00	21:10:00	O	Ō	Q
356	XBT	S	<b>6</b> 3	6.00	-11	-18.00	21:49:00	O	Ó	Ò
357	XET	S	64	26.00	-8	-55.00	22:00:00	O	Ō	O
358	XBT	S	63	3.00	-11	-7.00	22:39:00	Ŏ	Ō	Ō
359	XEL	S	64	22.00	-8	-54.00	23:00:00	Ò	O	Ō

N. W.

8

E

8

25.5

ESS.

叔

8

7.0

\$3.53

360	XET	S	62	60.00	-10	-56.00	23:38:00	Ō	Ō	0
361	XET	S	63	33.00	-9	-50.00	23:55:00	Q	O	O
2-0.1	,,_,	_								
DATI	E:	4/25/	<b>/88</b>	PROJECT	ID:	RESOLUTE	SUPPORT			
										424.1
#	TALE	D/S	LF	AT I TUDE	LC	ONGITUDE	TIME	FLT	RH	CH
					4.0	44 00	00.75.00	O	Ó	Ó
362	XRL	S	62	56.00	-10	-44.00	00:35:00	0	Ŏ.	Ö
363	XBI	S	64	14.00	-8	-54.00	01:03:00	Ó	Ö	Ŏ
364	XET		62	54.00	-10	-33.00	01:37:00		_	Ö
365	XBT	S	54	10.00	-8	-57.00	01:59:00	O o	0	
365	XBT		62	51.00	-10	-23.00	02:32:00	O .	O	Ó
367	XBT	S	64	6.00	-8	-58.00	03:03:00	0	O	0
368	XBIT	S	62	46.00	-10	-11.00	03:35:00	O	O	Ō
369	XB1	S	64	3.00	-9	-1.00	03:59:00	O	O	O
370	XHT		62	43.00	-10	.00	04:37:00	O	Ó	O
371	XBT		63	59.00	-9	-1.00	04:59:00	Q	O	O
372	XBT		62	30.00	-9	-18.00	05:04:00	Ó	Ó	O
373	XBT		68	20.00	-15		05:05:00	O	O	O
374	XBT		62	40.00	-9		05:30:00	Ō	Ō	Ō
375	XBT	S	63	55.00	-9		06:00:00	O	Ó	O
376	XBT		62	34.00	-9		06:45:00	Ō	Ó	O
			63	51,00	-9		07:00:00	Ō	Ó	Ó
377	XBJ		62	30.00	-9		07:00:00	Ö	Ö	Ŏ
378	XBI						07:37:00	ŏ	ō	
379	XBT		62	32.00	-9	-	08:00:00	ŏ	ŏ	
380	XBT		63	47.00	-9			0	Ó	
381	XBT		62	29.00	-9		08:27:00	Ó	Ó	
382	XBT		63	43.00	-9		09:00:00		0	
383	XBT		68	25.00	-15		09:43:00	O o		
384	XBT	S	62	34.00	-9		09:44:00	Ō	Ŏ	
385	XBT	5	63	40.00	-9		09:59:00	0	0	
386	XBT	S	62	40.00	-5		10:56:00	Q	Ó	
387	XBI	S	63	35.00	-9		11:00:00	O	0	
388	XB1	1 5	63	27.00	-10	-11.00	11:00:00	Q	Ó	
389	XBT	l S	52	30.00	-9	-18.00	11:00:00	O	O	
390	XBT		63	32.00	-9	-10.00	11:56:00	Ó	Ó	
391	XE		62	46.00	-9	-35.00	11:59:00	O	Q	O
392	XBT		62	52.00	-9	-43.00	13:03:00	Ò	Ø	0
393	XB		62	28.00	-9		13:05:00	O	Q	O O
394	XB		63	24.00	-5		13:59:00	Ō	0	) Ō
395	XE		62	59.00	-5		14:18:00	O	Q	Ó
396	XB		63	19.00	5		15:00:00	O	O	Ó
	XE.		<b>6</b> 3	6.00	-5		15:24:00	Ō	0	
397			<b>6</b> 3	15.00	_ <del>,</del>		15:58:00	Ō	c	
398	XB		60 47	12.00	-10		14:18:00	Ô	Ó	

S

XBT

XBT

399

400

63

63

12.00

11.00

-10 .00 16:18:00 -9 -16.00 16:59:00

Õ

O

401	XBI	S	63	19.00	-10	-12.00	17:30:00	O	O	o
402	XBT	S	63	7.00	-9	-14.00	17:59:00	Ö	O	O
403	XBT	S	63	25.00	-10	-18.00	18:35:00	O	Ō	O
404	XBT	S	63	6.00	-9	-11.00	19:00:00	O	Ŏ	Ó
405	XBT	S	63	30.00	-10	-21.00	19:20:00	Ó	Ó.	O
406	XET	S	<b>6</b> 3	2.00	-9	-11.00	20:00:00	Ō	()	O
407	XBT	S	62	58.00	-9	-11.00	21:00:00	O	0	O
408	XBT	5	62	30.00	-9	-18.00	21:04:00	Q.	Ō	O
409	XET	S	64	32.00	-10	-6.00	21:54:00	O	Ō	O
410	XBT	S	62	53.00	-9	-13.00	22:02:00	O	Ō	Ō
411	XBT	S	62	49.00	-9	-15.00	22:57:00	O	0	Ó
412	XBT	S	62	30.00	-9	-18.00	23:05:00	O	()	Õ
413	XB1	S	67	58.00	-15	-34.00	23:30:00	Q	0	O

FLT RT CH

DA1	E:	4/26/88	3 1	PROJECT	ID:	RESOLUTE	SUPPORT	
#	TYFE	D/S	LA	TITUDE	L.C	ONGITUDE	TIME	
414	YET	5	62	44 00	-9	-51 00	00.03.00	`

414	XBT	5	62	44.00	-9	-51.00	00:03:00	Ö	Ö	Ō
415	XBT	S	61	51.00	-15	-52.00	00:50:00	Q	O	O
416	XBT	S	63	58.00	-9	-43.00	00:55:00	Ō	Ó	O
417	XBI	S	<b>6</b> 2	40.00	-9	-15.00	01:03:00	O	O	O
418	XBT	5	62	40.00	-9	-15.00	01:03:00	O	O	O
419	XBT	S	62	28.00	-9	-16.00	01:15:00	O	Ō	0
420	XBT	S	62	36.00	-9	-16.00	01:59:00	O	O	Ō
421	XBI	S	62	36.00	-9	-16.00	01:59:00	O	O	Ō
422	XBT	S	67	46.00	-16	-10.00	02:05:00	O	Ō	O
423	XEI	S	62	33.00	-9	-16.00	02:59:00	O	O	O
424	XBT	S	62	33.00	-9	-16.00	02:59:00	O	O	Ō
425	XE3	S	62	28.00	-9	-16.00	03:05:00	0	O	Ó
426	XBT	S	64	10.00	-9	-27.00	03:05:00	0	O	O
427	XBT	S	62	29.00	-9	-17.00	03:59:00	Ō	O	Ō
428	XBT	S	62	29.00	-5	-17.00	03:59:00	Ö	O	Ō
429	XBI	S	64	15.00	-9	-18.00	04:04:00	O	O	O
430	XBT	S	67	35.00	-16	-59.00	04:47:00	O	Ō	Ō
431	XBI	S	54	20.00	-9	-10.00	04:58:00	O	O	O
432	XBT	S	62	28.00	-9	-19.00	05:00:00	O	Ō	O
433	XBT	S	62	28.00	-9	-19.00	05:00:00	O	O	O
434	XBT	S	67	31.00	-17	-22.00	05:57:00	O	Ŏ	Ö
435	XBT	S	62	33.00	-9	-24.00	06:00:00	O	Ō	O
436	XBT	S	62	33.00	-9	-24.00	06:00:00	O	O	Ō
437	XBI	S	64	24.00	-9	-10.00	07:05:00	O	O	O
438	XBT	S	67	34.00	-17	-43.00	07:06:00	O	O	Ŏ
439	XBT	S	62	40.00	-9	-29.00	07:59:00	Q	O	0
440	XBT	S	64	21.00	-9	-22.00	08:00:00	O	Q	Ö
441	XBT	S	64	19.00	-9	-33.00	08:50:00	O	O	Ŏ

442	XBT	S	62	43.00	-9	-32.00	08:59:00	O	Ō	Ō
443	XBT	S	64	14.00	-9	-45.00	09:44:00	Ō	Ó	0
444	XBT	S	64	14.00	-9	-57.00	10:42:00	Ó	O	O
445	XBI	S	62	49.00	-9	-40.00	11:00:00	O	O	Ō
446	XBT	S	62	30.00	-9	-18.00	11:01:00	Ó	O	Ō
447	XBT	S	64	11.00	-10	~9.00	11:39:00	O	Q	O
448	XBT	S	64	9.00	-10	-22.00	12:42:00	O	O	O
449	XBT	S	62	56.00	-9	-48.00	12:59:00	0	Q	O
450	XBT	S	62	28.00	-9	-16.00	13:15:00	Q	O	Ô
451	XBI	S	63	.00	-9	-52.00	14:04:00	O	O	Q
452	XBT	S	63	4.00	-9	-55.00	15:00:00	O	$\phi$	Ò
453	XBT	S	67	48.00	-17	-34.00	15:55:00	O	O	Q
454	XBT	S	63	8.00	-10	.00	15:59:00	O	O	Ó
455	XBI	S	63	12.00	-10	-3.00	16:58:00	Q	O	Ŏ
456	XET	S	63	16.00	-10	-5.00	17:59:00	O	O	O
457	XBI	S	63	29.00	-10	-16.00	19:00:00	Q	O	O
458	XBT	S	63	20.00	-10	-7.00	19:01:00	O	O	O
459	XBI	S	67	42.00	-17	-54.00	19:14:00	O	Ó	O
460	XBT	S	63	24.00	-10	-10.00	19:59:00	Q	Q	O
461	XBI	S	63	28.00	-10	-14.00	21:00:00	O	O	Ō
462	XBT	S	63	27.00	-10	-13.00	21:03:00	Ó	O	Q)
463	XBT	S	63	30.00	-10	-17.00	22:00:00	O	O	O
464	XBT	S	67	23.00	-17	-50.00	22:23:00	O	O	Ō
465	XET	S	63	34.00	-10	-13.00	23:00:00	O	O	0
DAT	E: 4	/27/	88	PROJECT	ID:	RESOLUTE	SUPPORT			
#	TYPE	D/S	LA	TITUDE	L.O	NGITUDE	TIME	FLT	RT	CH
466	XBT	S	63	37.00	-10	-9.00	00:00:00	Q	Ō	Q
467	XBT	S	67	29.00	-18	-15.00	00:55:00	O	Ō	O
468	XBT	S	<b>E6</b>	29.00	-10	-19.00	01:10:00	Ō	Ó	Ŏ
469	XBI	S	63	44.00	-10	.00	01:59:00	O	O	O
470	XBT	S	67	34.00	-18	-10.00	02:10:00	Q	Ō	Ō
471	XBI	S	63	48.00	-10	.00	02:59:00	Õ	O	Ö
472	XBT	S	63	31.00	-10	-23.00	03:00:00	Ó	Ò	Ó
473	XBI	S	63	53.00	-10	.00	04:00:00	O	O	Ō
474	XBT	S	63	57.00	-9	-59,00	05:00:00	Ō	O	Ó
475	XET	S	63	34.00	-10	-19.00	07:00:00	O	O	Ö

DATE: 4/28/88 PROJECT ID: RESOLUTE SUPPORT


# TYPE D/S LATITUDE LONGITUDE TIME FLT R1 CH


1200 XBT S 65 .00 -7 .00 15:55:00 0 0


1201	XBT	S	65	.00	~8	.00	16:03:00	O	O	O
1202	XBT	S	65	.00	-9	.00	16:09:00	O	O	O
1203	XBT	S	65	.00	-10	.00	16:16:00	O	O	O
1204	XBT	S	65	.00	-11	.00	16:22:00	Ŏ	O	O
1205	XBT	S	64	30.00	-11	.00	16:43:00	O	O	Ó.
1206	XBT	S	64	30,00	-10	.00	16:49:00	Q.	Ō	O
1207	XBT	S	64	30.00	-7	.00	17:09:00	Ō	O	O
1208	XBT	S	64	.00	-7	.00	17:16:00	Q.	Q	Ō
1209	XET	S	64	.00	-8	.00	17:23:00	O	O	O
1210	XBT	S	64	.00	-9	.00	17:30:00	O	Ŏ	O
1211	XBT	S	64	.00	-10	.00	17:38:00	Ō	O	O
1212	XBT	S	64	.00	-11	.00	17:43:00	Ø	O	Ö
1213	XBT	S	64	.00	-12	.00	17:50:00	0	Ō	Ō
1214	XBT	S	63	30.00	-12	.00	18:10:00	Ŏ	O	Ö
1215	XBI	S	63	30.00	-11	.00	18:25:00	O	О	O
1216	XBT	S	63	30.00	-10	.00	18:33:00	0	O	O
1217	XEI	S	63	30.00	-9	.00	18:40:00	O	Ō	Ò
1218	XBT	S	<b>6</b> 3	30.00	-8	.00	18:46:00	O	O	()
1219	XBT	S	63	30.00	-7	.00	18:55:00	O	O	O
1220	XBT	S	63	.00	ーフ	.00	19:01:00	0	Ó	Ó
1221	XBT	S	<b>6</b> 3	.00	-8	.00	19:09:00	O	O	O
1222	XBT	S	63	.00	-9	.00	19:15:00	0	0	O
1223	XBT	S	63	.00	-10	.00	19:25:00	Ō	O	O
1224	XBT	S	63	.00	-11	.00	19:31:00	Ō	Ō	O


TOTAL NO. OF FILES: 500


Figures 1 - 13: Station locations for data in the RESOLUTE SUPPORT/PROUD RUN-NER Tactical Oceanography Center database.































Car


XXX

211 11 33.6







Figures 14 - 19: Spring season temperature fields at 0, 50, 100, 200, 250, and 300 m from the GDEM climatology for the RESOLUTE SUPPORT/PROUD RUNNER study area.





.8 10° W 12° W 62° N . N °99 64° N

Temperature GDEM (Spring) 50 meters














Figures 20 - 26: Station positions and temperature fields at 0, 50, 100, 200, 250, and 300 m in the RESOLUTE SUPPORT/PROUD RUNNER study area, 17 - 20 April 1988.





















Figures 27 - 29: Station locations and selected vertical temperature transects through the RESOLUTE SUPPORT/PROUD RUNNER study area, 18 - 19 April 1988.











Figures 30 - 36: Station positions and temperature fields at 0, 50, 100, 200, 250, and 300 m in the RESOLUTE SUPPORT/PROUD RUNNER study area, 22 - 24 April 1988.





















Figures 37 – 39: Station locations and selected vertical temperature transects through the RESOLUTE SUPPORT/PROUD RUNNER study area, 23 April 1988.











Figures 40 - 46: Station positions and temperature fields at 0, 50, 100, 200, 250, and 300 m in the RESOLUTE SUPPORT/PROUD RUNNER study area, 26 - 28 April 1988. The fields may very well be in error, due to unresolved confusion in the positions of the 28 April gridded AXBT flight data, stations 1200 - 1224 in Table 1.














REPORT DOCUMENTATION PAGE					
1a. REPORT SECURITY CLASSIFICATION	1b. RESTRICTIVE MARKINGS				
Unclassified 2a. SECURITY CLASSIFICATION AUTHORITY	None 3. DISTRIBUTION/AVAILABILITY OF REPORT				
Ed. GEOGRAPION AGMONT					
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE	Approved for public release; distribution is unlimited.				
4. PERFORMING ORGANIZATION REPORT NUMBER(S)	5. MONITORING ORGANIZATION REPORT NUMBER(S)				
NORDA Technical Note 384	NORDA Technical Note 384				
6. NAME OF PERFORMING ORGANIZATION	7a. NAME OF MONITORING ORGANIZATION				
Naval Ocean Research and Development Activity	Naval Ocean Research and Development Activity				
6c. ADDRESS (City, State, and ZIP Code)	7b. ADDRESS (City	7b. ADDRESS (City, State, and ZIP Code)			
Ocean Science Directorate NSTL, Mississippi 39529-5004	Ocean Science Directorate NSTL, Mississippi 39529–5004				
8a. NAME OF FUNDING/SPONSORING ORGANIZATION 8b. OFFICE SYMBOL (If applicable)  Naval Ocean Research and Development Activity	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER				
8c. ADDRESS (City, State, and ZIP Code)	10. SOURCE OF FU	10. SOURCE OF FUNDING NOS.			
Ocean Science Directorate NSTL, Mississippi 39529-5004	PROGRAM ELEMENT NO. 62435N 65857N	PROJECT NO. 3501 115	TASK NO. JOZ 100	NO.	
11. TITLE (Include Security Classification)					
Field Report: Oceanographic Conditions in the Iceland-Faeroe Frontal Zone, April 1988					
12. PERSONAL AUTHOR(S)  Janice D. Boyd and George Heburn					
13a. TYPE OF REPORT 13b. TIME COVERED 14. DATE OF REPORT (Yr.		ORT (Yr., Mo., Day)		15. PAGE COUNT	
Final From To	May 1988 70				
16. SUPPLEMENTARY NOTATION					
17. COSATI CODES 18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)					
	ography, Norwegian Sea, fronts (oceanography),				
RESOLUTE S	JPPORT/PROUD RUNNER, NATO				
19. ABSTRACT (Continue on reverse if necessary and identify by block number)					
Between 21-27 April 1988, the Tactical Oceanography Project of the Naval Ocean Research and Development Activity (NORDA) provided near real time processing and analysis of environmental data acquired during the first phase of the NATO exercise RESOLUTE SUPPORT/PROUD RUNNER. This report assembles together the analysis results produced in the field to give an overview of the oceanographic conditions during the exercise. An assessment of the acoustic conditions encountered will be the subject of a later report.					
	×′.	•			
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT	21. ABSTRACT SECURITY CLASSIFICATION				
UNCLASSIFIED/UNLIMITED SAME AS RPT. DTIC USERS	Unclassified				
22a. NAME OF RESPONSIBLE INDIVIDUAL	22b. TELEPHONE N	22b. TELEPHONE NUMBER (Include Area Code) 22c. OFFICE SYMBOL			
Janice D. Boyd	(601) 688	-5251		Code 321	